

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	((("4301583") or ("4301730") or ("5324248") or ("5745816") or ("5840386") or ("5857950") or ("3698053") or ("5296582") or ("5637179"))).PN.	USPAT	OR	OFF	2005/06/09 13:55
L2	18363	first near (polymer or polymeric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:15
L3	18225	second near (polymer or polymeric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:15
L4	10179	L2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:16
L5	2	L4 and 492/30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:16
L6	0	L4 and 492/35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:16
L7	1	L4 and 492/50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:16
L8	1	L7 and epoxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:16

L9	1	L8 and (metal or aluminum or Al or chromium or Cr or nickel or Ni or iron or Fe or cobalt or Co)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:17
L10	1	L8 and (aluminum or Al or chromium or Cr or nickel or Ni or iron or Fe or cobalt or Co)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:18
L11	0	L10 and (tensile near strength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:18
L12	123	L4 and 428/323	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:18
L13	47	L12 and epoxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:18
L14	36	L13 and (aluminum or nickel or iron or cobalt or chromium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:30
L15	3	L14 and (tensile near strength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:19
L16	8535	(thermal or thermally) near (spray or sprayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:21

L17	0	L14 and L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:28
L18	21	fluid near metering near rolls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:29
L19	0	L18 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:30
L20	95975	(carbon near fiber reinforced near composite) or CFRC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:30
L21	400	L20 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:30
L22	163	L21 and epoxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:30
L23	141	L22 and (aluminum or nickel or iron or cobalt or chromium or zirconium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:31
L24	70	L23 and (tensile near strength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:31

L25	761	L2 same (aluminum or nickel or iron or cobalt or chromium or zirconium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:32
L26	612	L3 same (aluminum or nickel or iron or cobalt or chromium or zirconium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:32
L27	381	L26 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:33
L28	505	L2 same epoxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:38
L29	34	L26 and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:33
L30	724	L2 same (epoxy or thermoset or thermosetting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:39
L31	59	L30 and L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:39
L32	34	L31 and roll	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:39